



Hosts

- ALL
- \GUARD Test Rules
- \EST1983
- \GALAXY
- \XYS7000
- \X
- \QUALITY
- \DEV
- \STAGING
- \PROD
- \PROD2


Rules for \GUARD




31
ACLGROUP




35
OSSGROUP



0
DOGROUP



3
POGROUP



55
FOGROUP

#	Name	New
1	NCI-SYSTEM	
2	NCI-VNCI-SUPERUSER	
3	NCI-VNCI-1	
4	NCI-VNCI-3	
5	NCI-DENY-THE-REST	
6	SCOTT-TEST	
7	BASE24-SYSTEM	
8	BASE24-1	
9	BASE24-DSMSCM-SQL	
10	BASE24-DENY	
11	XYGATESR-QRFILES	
12	VIEWPT-TERMTACL-SECURITY	
13	USERID-AND-LUSERID-SECURITY-READ	
14	USER-LUSER-SECURITY	
15	SECURE-SAFE-AUDITS	
16	SYSTEM-SJU-FILES	
17	TEST-CASE-46924C (disabled)	
18	SQL-RENAME-TEST (disabled)	
19	XYGATE-XAC-SUBVOL (disabled)	
20	XYGATE-XCM-SUBVOL	
21	XYGATE-XHE-SUBVOL-1	
22	XYGATE-XHE-SUBVOL-2	
23	XYGATE-XIL-SUBVOL	
24	XYGATE-XIL-SUBVOL	
25	XYGATE-XIM-SUBVOL	
26	XYGATE-XMA-SUBVOL	
27	XYGATE-XOS-SUBVOL	
28	XYGATE-XPC-SUBVOL	
29	XYGATE-XHE-SUBVOL	
30	XYGATE-XHE-SUBVOL	
31	XYGATE-XIL-SUBVOL	
32	XYGATE-XIM-SUBVOL	

Details of NCI-SYSTEM

Console

RULE NAME
NCI-SYSTEM

DESCRIPTION
Enter a brief description of the rule REQUIRED

COMMENT
This is a comment for the rule - use console for form specific comments.

GROUPS & USERS Add

 \$NCI
 \$WFB2

PERMISSIONS

	Allow	Deny	None
OSS-ACL			✓
OSS-BIND		⊘	
OSS-CHMOD	✓		
OSS-CHDIR	✓		
OSS-CHOWN			✓
OSS-CHROOT			✓
OSS-MKNOD			✓
OSS-STAT			✓
OSS-SYMLINK			✓
OSS-UNLINK			✓

MASKS

```
$SYSTEM.*.*
$DATAA.SYSPRSPL.SPLDATA
$DATAA.SYSPRSPL.SPL1DATA
$SYSTEM.SYSNN.*
$SYSTEM.SYSTEM.*
$SYSTEM.ZTCPIP.*
NOT $SYSTEM.SYSTEM.USERID
```

KEYWORDS
 AUDIT_ACCESS_PASS AUDIT_ACCESS_FAIL

Hosts

- ALL
- \GUARD** Test Rules
- \EST1983
- \GALAXY
- \XYS7000
- \X
- \QUALITY
- \DEV
- \STAGING
- \PROD
- \PROD2

Rules for \GUARD

Search Users

31

56

0

3

55

#	Name	New
1	NCI-SYSTEM	
2	Clone of NCI-SYSTEM	✖
3	NCI-VNCI-SUPERUSER	
4	NCI-VNCI-1	
5	NCI-VNCI-3	
6	NCI-DENY-THE-REST	
7	SCOTT-TEST	
8	BASE24-SYSTEM	
9	BASE24-1	
10	BASE24-DSMSCM-SQL	
11	BASE24-DENY	
12	XYGATESR-QRFILES	
13	VIEWPT-TERMTACL-SECURITY	
14	USERID-AND-LUSERID-SECURITY-READ	
15	USER-LUSER-SECURITY	
16	SECURE-SAFE-AUDITS	
17	SYSTEM-SJU-FILES	
18	TEST-CASE-46924C (disabled)	
19	SQL-RENAME-TEST (disabled)	
20	XYGATE-XAC-SUBVOL (disabled)	
21	XYGATE-XCM-SUBVOL	
22	XYGATE-XHE-SUBVOL-1	
23	XYGATE-XHE-SUBVOL-2	
24	XYGATE-XIL-SUBVOL	
25	XYGATE-XIL-SUBVOL	
26	XYGATE-XIM-SUBVOL	
27	XYGATE-XMA-SUBVOL	
28	XYGATE-XOS-SUBVOL	
29	XYGATE-XPC-SUBVOL	
30	XYGATE-XHE-SUBVOL	
31	XYGATE-XHE-SUBVOL	
32	XYGATE-XIL-SUBVOL	

Clone of NCI-SYSTEM Console

RULE NAME
Clone of NCI-SYSTEM

DESCRIPTION
Enter a brief description of the rule REQUIRED

COMMENT
Enter a brief comment ...

GROUPS & USERS Add

- \$NCI
- \$WFB2

PERMISSIONS	Allow	Deny	None
OSS-ACL			<input checked="" type="checkbox"/>
OSS-BIND		<input checked="" type="checkbox"/>	
OSS-CHMOD	<input checked="" type="checkbox"/>		
OSS-CHDIR	<input checked="" type="checkbox"/>		
OSS-CHOWN			<input checked="" type="checkbox"/>
OSS-CHROOT			<input checked="" type="checkbox"/>
OSS-MKNOD			<input checked="" type="checkbox"/>
OSS-STAT			<input checked="" type="checkbox"/>
OSS-SYMLINK			<input checked="" type="checkbox"/>
OSS-UNLINK			<input checked="" type="checkbox"/>

MASKS

- \$SYSTEM.*.*
- \$DATAA.SYSPRSPL.SPLDATA
- \$DATAA.SYSPRSPL.SPL1DATA
- \$SYSTEM.SYSNN.*
- \$SYSTEM.SYSTEM.*
- \$SYSTEM.ZTCPIP.*
- NOT \$SYSTEM.SYSTEM.USERID

KEYWORDS

AUDIT_ACCESS_PASS ON OFF

AUDIT_ACCESS_FAIL ON OFF

Hosts

- ALL
- \GUARD** Test Rules
- \EST1983
- \GALAXY
- \XYS7000
- \X
- \QUALITY
- \DEV
- \STAGING
- \PROD
- \PROD2

Rules for \GUARD

Search Users



ACLGROUP



OSSGROUP



DOGROUP



POGROUP



FOGROUP

#	Name	New
1	NCI-SYSTEM	
2	NCI-VNCI-SUPERUSER	
3	NCI-VNCI-1	
4	NCI-VNCI-3	
5	NCI-DENY-THE-REST	
6	SCOTT-TEST	
7	BASE24-SYSTEM	
8	BASE24-1	
9	BASE24-DSMSCM-SQL	
10	BASE24-DENY	
11	XYGATESR-QRFILES	
12	VIEWPT-TERMTACL-SECURITY	
13	USERID-AND-LUSERID-SECURITY-READ	
14	USER-LUSER-SECURITY	
15	SECURE-SAFE-AUDITS	
16	SYSTEM-SJU-FILES	
17	TEST-CASE-46924C (disabled)	
18	SQL-RENAME-TEST (disabled)	
19	XYGATE-XAC-SUBVOL (disabled)	
20	XYGATE-XCM-SUBVOL	
21	XYGATE-XHE-SUBVOL-1	
22	XYGATE-XHE-SUBVOL-2	
23	XYGATE-XIL-SUBVOL	
24	XYGATE-XIL-SUBVOL	
25	XYGATE-XIM-SUBVOL	
26	XYGATE-XMA-SUBVOL	
27	XYGATE-XOS-SUBVOL	
28	XYGATE-XPC-SUBVOL	
29	XYGATE-XHE-SUBVOL	
30	XYGATE-XHE-SUBVOL	
31	XYGATE-XIL-SUBVOL	
32	XYGATE-XIM-SUBVOL	

This is my new rule

Save Cancel

RULE NAME

This is my new rule

DESCRIPTION

e.g. rule for base24 compliance

Enter some basic information describing your new rule.

COMMENT

This is a comment for the rule - use console for form specific comments.

GROUPS & USERS

Add

\$DEMO
 \$SALES
 \$SCOTT
 \$NCI
 \$BASE24
 \$EVERYONE
 \$PRO

Add acl groups, userids or aliases on your nonstop to attach to the rule.

MASKS

Add

\$SYSTEM.*.*
 \$DATAA.SYSPRSPL.SPLDATA
 \$DATAA.SYSPRSPL.SPL1DATA
 \$SYSTEM.SYSNN.*
 \$SYSTEM.SYSTEM.*
 \$SYSTEM.ZTCPIP.*
 NOT \$SYSTEM.SYSTEM.USERID

You can select volumes, subvolumes or files from the nonstop to include / exclude from your rule.

Advanced Settings

Rules for \GUARD

Search Users

Name New

- 1 NCI-SYSTEM
- 2 NCI-VNCI-SUPERUSER
- 3 NCI-VNCI-1
- 4 NCI-VNCI-3
- 5 NCI-DENY-THE-REST
- 6 SCOTT-TEST
- 7 BASE24-SYSTEM
- 8 BASE24-1
- 9 BASE24-DSMSCM-SQL
- 10 BASE24-DENY
- 11 XYGATESR-QRFILES
- 12 VIEWPT-TERMTACL-SECURITY
- 13 USERID-AND-LUSERID-SECURITY-READ
- 14 USER-LUSER-SECURITY
- 15 SECURE-SAFE-AUDITS
- 16 SYSTEM-SJU-FILES
- 17 TEST-CASE-46924C (disabled)
- 18 SQL-RENAME-TEST (disabled)
- 19 XYGATE-XAC-SUBVOL (disabled)
- 20 XYGATE-XCM-SUBVOL
- 21 XYGATE-XHE-SUBVOL-1
- 22 XYGATE-XHE-SUBVOL-2
- 23 XYGATE-XIL-SUBVOL
- 24 XYGATE-XIL-SUBVOL
- 25 XYGATE-XIM-SUBVOL
- 26 XYGATE-XMA-SUBVOL
- 27 XYGATE-XOS-SUBVOL
- 28 XYGATE-XPC-SUBVOL
- 29 XYGATE-XHE-SUBVOL
- 30 XYGATE-XHE-SUBVOL
- 31 XYGATE-XIL-SUBVOL
- 32 XYGATE-XIM-SUBVOL

Details of NCI-SYSTEM

Console

RULE NAME
NCI-SYSTEM

DESCRIPTION
Enter a brief description of the rule REQUIRED

COMMENT
This is a comment for the rule - use console for form specific comments.

GROUPS & USERS Add

- \$NCI
- \$WFB2

PERMISSIONS	Allow	Deny	None
OSS-ACL			<input checked="" type="checkbox"/>
OSS-BIND		<input checked="" type="checkbox"/>	
OSS-CHMOD	<input checked="" type="checkbox"/>		
OSS-CHDIR	<input checked="" type="checkbox"/>		
OSS-CHOWN			<input checked="" type="checkbox"/>
OSS-CHROOT			<input checked="" type="checkbox"/>
OSS-MKNOD			<input checked="" type="checkbox"/>
OSS-STAT			<input checked="" type="checkbox"/>
OSS-SYMLINK			<input checked="" type="checkbox"/>
OSS-UNLINK			<input checked="" type="checkbox"/>

MASKS

- \$SYSTEM.*.*
- \$DATAA.SYSPRSPL.SPLDATA
- \$DATAA.SYSPRSPL.SPL1DATA
- \$SYSTEM.SYSNN.*
- \$SYSTEM.SYSTEM.*
- \$SYSTEM.ZTCPIP.*
- NOT \$SYSTEM.SYSTEM.USERID

KEYWORDS

AUDIT_ACCESS_PASS AUDIT_ACCESS_FAIL

Rules for \GUARD

Search Users

31 35 0 3 55
 ACLGROUP OSSGROUP DOGROUP POGROUP FOGROUP

Name New

- 1 NCI-SYSTEM
- 2 NCI-VNCI-SUPERUSER
- 3 NCI-VNCI-1
- 4 NCI-VNCI-3
- 5 NCI-DENY-THE-REST
- 6 SCOTT-TEST
- 7 BASE24-SYSTEM
- 8 BASE24-1
- 9 BASE24-DSMSCM-SQL
- 10 BASE24-DENY
- 11 XYGATESR-QRFILES
- 12 VIEWPT-TERMTACL-SECURITY
- 13 USERID-AND-LUSERID-SECURITY-READ
- 14 USER-LUSER-SECURITY
- 15 SECURE-SAFE-AUDITS
- 16 SYSTEM-SJU-FILES
- 17 TEST-CASE-46924C (disabled)
- 18 SQL-RENAME-TEST (disabled)
- 19 XYGATE-XAC-SUBVOL (disabled)
- 20 XYGATE-XCM-SUBVOL
- 21 XYGATE-XHE-SUBVOL-1
- 22 XYGATE-XHE-SUBVOL-2
- 23 XYGATE-XIL-SUBVOL
- 24 XYGATE-XIL-SUBVOL
- 25 XYGATE-XIM-SUBVOL
- 26 XYGATE-XMA-SUBVOL
- 27 XYGATE-XOS-SUBVOL
- 28 XYGATE-XPC-SUBVOL
- 29 XYGATE-XHE-SUBVOL
- 30 XYGATE-XHE-SUBVOL
- 31 XYGATE-XIL-SUBVOL
- 32 XYGATE-XIM-SUBVOL

Details of NCI-SYSTEM

Console

RULE NAME
NCI-SYSTEM

DESCRIPTION
Enter a brief description of the rule REQUIRED

COMMENT
This is a comment for the rule - use console for form specific comments.

GROUPS & USERS Add

- \$NCI
- \$WFB2

PERMISSIONS	Allow	Deny	None
OSS-ACL			<input checked="" type="checkbox"/>
OSS-BIND		<input checked="" type="checkbox"/>	
OSS-CHMOD	<input checked="" type="checkbox"/>		
OSS-CHDIR	<input checked="" type="checkbox"/>		
OSS-CHOWN			<input checked="" type="checkbox"/>
OSS-CHROOT			<input checked="" type="checkbox"/>
OSS-MKNOD			<input checked="" type="checkbox"/>
OSS-STAT			<input checked="" type="checkbox"/>
OSS-SYMLINK			<input checked="" type="checkbox"/>
OSS-UNLINK			<input checked="" type="checkbox"/>

MASKS

```

$SYSTEM.*.*
$DATAA.SYSPRSPL.SPLDATA
$DATAA.SYSPRSPL.SPL1DATA
$SYSTEM.SYSNN.*
$SYSTEM.SYSTEM.*
$SYSTEM.ZTCPIP.*
NOT $SYSTEM.SYSTEM.USERID
    
```

KEYWORDS
 AUDIT_ACCESS_PASS AUDIT_ACCESS_FAIL

CONSOLE

Line	Configuration Script
384	#IF @NODE LIKE "(\\EST1983 \\XYS7000)"
385	!
386	FOGROUP NCI-SYSTEM
387	!
388	!OWNER : SUPPORT TEAM
389	!CREATION : 2013/11/20 (MAC)
390	!REASON : For NCI access on \$SYSTEM & spooler collectors \$S and \$S1
391	!NOTES : TEXT
392	!MODIFICATION: YYYY/MM/DD (WHO) - TEXT
393	!
394	DESCRIPTION "NCI - \$SYSTEM and spooler collector access"
395	MASK \$SYSTEM.*.*
396	\$DATAA.SYSPRSPL.SPLDATA
397	\$DATAA.SYSPRSPL.SPL1DATA
398	! \$SYSTEM.SYSNN.*
399	! \$SYSTEM.SYSTEM.*
400	! \$SYSTEM.ZTCPIP.*
401	NOT \$SYSTEM.SYSTEM.USERID
402	USER \$NCI
403	ACL \$NCI (R, E)
404	PROCESS_AS_ACL ! FINAL answer, no further checking
405	AUDIT_ACCESS_PASS ON ! Audit Successes?
406	AUDIT_ACCESS_FAIL ON ! Audit Fails?
407	AUDIT_WARNING_PASS OFF ! Write Success, If Warning
408	AUDIT_WARNING_FAIL OFF ! Write Fail, If Warning
409	WARNING_MODE OFF
410	!

Rules for \GUARD

Search Users

31 35 0 3 55
 ACLGROUP OSSGROUP DOGROUP POGROUP FOGROUP

Name New

- 1 NCI-SYSTEM
- 2 NCI-VNCI-SUPERUSER
- 3 NCI-VNCI-1
- 4 NCI-VNCI-3
- 5 NCI-DENY-THE-REST
- 6 SCOTT-TEST
- 7 BASE24-SYSTEM
- 8 BASE24-1
- 9 BASE24-DSMSCM-SQL
- 10 BASE24-DENY
- 11 XYGATESR-QRFILES
- 12 VIEWPT-TERMTACL-SECURITY
- 13 USERID-AND-LUSERID-SECURITY-READ
- 14 USER-LUSER-SECURITY
- 15 SECURE-SAFE-AUDITS
- 16 SYSTEM-SJU-FILES
- 17 TEST-CASE-46924C (disabled)
- 18 SQL-RENAME-TEST (disabled)
- 19 XYGATE-XAC-SUBVOL (disabled)
- 20 XYGATE-XCM-SUBVOL
- 21 XYGATE-XHE-SUBVOL-1
- 22 XYGATE-XHE-SUBVOL-2
- 23 XYGATE-XIL-SUBVOL
- 24 XYGATE-XIL-SUBVOL
- 25 XYGATE-XIM-SUBVOL
- 26 XYGATE-XMA-SUBVOL
- 27 XYGATE-XOS-SUBVOL
- 28 XYGATE-XPC-SUBVOL
- 29 XYGATE-XHE-SUBVOL
- 30 XYGATE-XHE-SUBVOL
- 31 XYGATE-XIL-SUBVOL
- 32 XYGATE-XIM-SUBVOL

Details of NCI-SYSTEM

Console

RULE NAME
NCI-SYSTEM

DESCRIPTION
Enter a brief description of the rule REQUIRED

COMMENT
This is a comment for the rule - use console for form specific comments.

GROUPS & USERS Add

- \$NCI
- \$WFB2

PERMISSIONS	Allow	Deny	None
OSS-ACL			<input checked="" type="checkbox"/>
OSS-BIND		<input checked="" type="checkbox"/>	
OSS-CHMOD	<input checked="" type="checkbox"/>		
OSS-CHDIR	<input checked="" type="checkbox"/>		
OSS-CHOWN			<input checked="" type="checkbox"/>
OSS-CHROOT			<input checked="" type="checkbox"/>
OSS-MKNOD			<input checked="" type="checkbox"/>
OSS-STAT			<input checked="" type="checkbox"/>
OSS-SYMLINK			<input checked="" type="checkbox"/>
OSS-UNLINK			<input checked="" type="checkbox"/>

MASKS

- \$SYSTEM.*.*
- \$DATAA.SYSPRSPL.SPLDATA
- \$DATAA.SYSPRSPL.SPL1DATA
- \$SYSTEM.SYSNN.*
- \$SYSTEM.SYSTEM.*
- \$SYSTEM.ZTCPIP.*
- NOT \$SYSTEM.SYSTEM.USERID

KEYWORDS
 AUDIT_ACCESS_PASS ON OFF
 AUDIT_ACCESS_FAIL ON OFF

CONSOLE

Line	Configuration Script
384	#IF @NODE LIKE "(\\EST1983 \\XYS7000)"
385	!
386	FOGROUP NCI-SYSTEM
387	!
388	!OWNER : SUPPORT TEAM
389	!CREATION : 2013/11/20 (MAC)
390	!REASON : For NCI access on \$SYSTEM & spooler collectors \$S and \$S1
391	!NOTES : TEXT
392	!MODIFICATION: YYYY/MM/DD (WHO) - TEXT
393	!
394	DESCRIPTION "NCI - \$SYSTEM and spooler collector access"
395	MASK \$SYSTEM.*.*
396	\$DATAA.SYSPRSPL.SPLDATA
397	\$DATAA.SYSPRSPL.SPL1DATA
398	! \$SYSTEM.SYSNN.*
399	! \$SYSTEM.SYSTEM.*
400	! \$SYSTEM.ZTCPIP.*
401	NOT \$SYSTEM.SYSTEM.USERID
402	USER \$NCI
403	ACL \$NCI (R, E)
404	PROCESS_AS_ACL ! FINAL answer, no further checking
405	AUDIT_ACCESS_PASS ON ! Audit Successes?
406	AUDIT_ACCESS_FAIL ON ! Audit Fails?
407	AUDIT_WARNING_PASS OFF ! Write Success, If Warning
408	AUDIT_WARNING_FAIL OFF ! Write Fail, If Warning
409	WARNING_MODE OFF
410	!

Hosts

- ALL
- \GUARD** Test Rules
- \EST1983
- \GALAXY
- \XYS7000
- \X
- \QUALITY
- \DEV
- \STAGING
- \PROD
- \PROD2

Rules for \GUARD

Search Users

#	Name
1	
2	
3	NCI-SYSTEM
4	NCI-VNCI-SUPERUSER
5	NCI-VNCI-1
6	NCI-VNCI-3
7	NCI-DENY-THE-REST
8	SCOTT-TEST
9	BASE24-SYSTEM
10	BASE24-1
11	BASE24-DSMSCM-SQL
12	BASE24-DENY
13	XYGATESR-QRFILES
14	VIEWPT-TERMTACL-SECURITY
15	USERID-AND-LUSERID-SECURITY-READ
16	USER-LUSER-SECURITY
17	SECURE-SAFE-AUDITS
18	SYSTEM-SJU-FILES
19	TEST-CASE-46924C (disabled)
20	SQL-RENAME-TEST (disabled)
21	XYGATE-XAC-SUBVOL (disabled)
22	XYGATE-XCM-SUBVOL
23	XYGATE-XHE-SUBVOL-1
24	XYGATE-XHE-SUBVOL-2
25	XYGATE-XIL-SUBVOL
26	XYGATE-XIL-SUBVOL
27	XYGATE-XIM-SUBVOL
28	XYGATE-XMA-SUBVOL
29	XYGATE-XOS-SUBVOL
30	XYGATE-XPC-SUBVOL
31	XYGATE-XHE-SUBVOL
32	XYGATE-XHE-SUBVOL

Details of NCI-SYSTEM

Console

Add Mask X

Select an option below to add a mask. You can browse the Nonstop filesystem or leverage the power of a wildcard.

\$QA1\P19QAAG1\DICTMAP Preview

Tips to using the above wildcard selection ...

Done

PERMISSIONS

	Allow	Deny	None
OSS-ACL			<input checked="" type="checkbox"/>
OSS-BIND		<input checked="" type="checkbox"/>	
OSS-CHMOD	<input checked="" type="checkbox"/>		
OSS-CHDIR	<input checked="" type="checkbox"/>		
OSS-CHOWN			<input checked="" type="checkbox"/>
OSS-CHROOT			<input checked="" type="checkbox"/>
OSS-MKNOD			<input checked="" type="checkbox"/>
OSS-STAT			<input checked="" type="checkbox"/>
OSS-SYMLINK			<input checked="" type="checkbox"/>
OSS-UNLINK			<input checked="" type="checkbox"/>

MASKS

- \$SYSTEM.*.*
- \$DATAA.SYSPRSPL.SPLDATA
- \$DATAA.SYSPRSPL.SPL1DATA
- \$SYSTEM.SYSNN.*
- \$SYSTEM.SYSTEM.*
- \$SYSTEM.ZTCPIP.*
- NOT \$SYSTEM.SYSTEM.USERID

KEYWORDS

AUDIT_ACCESS_PASS ON

AUDIT_ACCESS_FAIL ON

- Hosts
- ALL
- \GUARD** Test Rules
- \EST1983
- \GALAXY
- \XYS7000
- \X
- \QUALITY
- \DEV
- \STAGING
- \PROD
- \PROD2

Rules for \GUARD

Search Users

ACLGROUP 31 OSSGROUP 35 DOGROUP 0

#	Name
1	
2	
3	NCI-SYSTEM
4	NCI-VNCI-SUPERUSER
5	NCI-VNCI-1
6	NCI-VNCI-3
7	NCI-DENY-THE-REST
8	SCOTT-TEST
9	BASE24-SYSTEM
10	BASE24-1
11	BASE24-DSMSCM-SQL
12	BASE24-DENY
13	XYGATESR-QRFILES
14	VIEWPT-TERMTACL-SE
15	USERID-AND-LUSERID-
16	USER-LUSER-SECURITY
17	SECURE-SAFE-AUDITS
18	SYSTEM-SJU-FILES
19	TEST-CASE-46924C (ds
20	SQL-RENAME-TEST (ds
21	XYGATE-XAC-SUBVOL
22	XYGATE-XCM-SUBVOL
23	XYGATE-XHE-SUBVOL-
24	XYGATE-XHE-SUBVOL-
25	XYGATE-XIL-SUBVOL
26	XYGATE-XIL-SUBVOL
27	XYGATE-XIM-SUBVOL
28	XYGATE-XMA-SUBVOL
29	XYGATE-XOS-SUBVOL
30	XYGATE-XPC-SUBVOL
31	XYGATE-XHE-SUBVOL
32	XYGATE-XHE-SUBVOL

Details of NCI-SYSTEM

Console

RULE NAME

REQUIRED

Add

None

KEYWORDS

AUDIT_ACCESS_PASS ON

AUDIT_ACCESS_FAIL ON

Add Mask

Select an option below to add a mask. You can browse the Nonstop filesystem or leverage the power of a wildcard.

Preview

Tips to using the above wildcard selection ...

VOLUMES	SUBVOLUMES	FILES
\$AUDIT	P19QAAC	APPSYNC
\$AUX01	P19QAACL	DICTALT
\$BASE24	P19QAAG1	DICTCDF
\$DATAA	P19QAAG2	DICTDDF
\$DATAB	P19QAAO2	DICTKDF
\$DATAC	P19QAAS	DICTMAP
\$DSMSCM	P19QACNF	DICTOBL
\$EMPTY	P19QADB0	DICTODF
\$MAXCHAR	P19QADB1	DICTOTF
\$OSS00	P19QADB2	DICTOUF
\$Q	P19QADB3	DICTOUK
\$Q00000	P19QADB4	DICTRDF
\$QA1	P19QADB5	DICTTKN
\$QA2	P19QADB6	DICTTYP
\$QCTEST	P19QADB7	DICTVER
\$SYSTEM	P19QADB8	EMSBUILD
\$VAXH	P19QADB9	EMSDDL
\$VAXJ	P19QAFLA	EMSTEMP
\$VAXR	P19QAFLE	EXPADD
\$VBWD	P19QAFUP	EXPCHK
\$VBXB	P19QAINP	LICCHK
\$VCLASS	P19QALGB	LOGDDL
\$VCXG	P19QALOG	NETKEY
\$VCXS	P19QAMON	NETPASS
\$VDAC	P19QAOIN	P15F001
\$VDBF	P19QAOUT	PASSHELP

Select

Hosts

- ALL
- \GUARD Test Rules
- \EST1983
- \GALAXY
- \XYS7000
- \X
- \QUALITY
- \DEV
- \STAGING
- \PROD
- \PROD2

Rules for \GUARD

Search Users ▾

31
ACLGROUP

35
OSSGROUP

#	Name
1	
2	
3	NCI-SYSTEM
4	NCI-VNCI-SUPER
5	NCI-VNCI-1
6	NCI-VNCI-3
7	NCI-DENY-THE
8	SCOTT-TEST
9	BASE24-SYSTEM
10	BASE24-1
11	BASE24-DSMSC
12	BASE24-DENY
13	XYGATESR-QRF
14	VIEWPT-TERMT
15	USERID-AND-LL
16	USER-LUSER-SE
17	SECURE-SAFE-A
18	SYSTEM-SJU-FIL
19	TEST-CASE-469
20	SQL-RENAME-T
21	XYGATE-XAC-SU
22	XYGATE-XCM-SU
23	XYGATE-XHE-SU
24	XYGATE-XHE-SU
25	XYGATE-XIL-SU
26	XYGATE-XIL-SU
27	XYGATE-XIM-SUBVOL
28	XYGATE-XMA-SUBVOL
29	XYGATE-XOS-SUBVOL
30	XYGATE-XPC-SUBVOL
31	XYGATE-XHE-SUBVOL
32	XYGATE-XHE-SUBVOL

Details of NCI-SYSTEM

Console

Test Rules on \GUARD

X

Select the criteria below to test the access to objects for a specific user over a series of files. Consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Test Criteria

Operation	Object Type	Object Name	Requestor	User	
<input type="text" value="Create"/> ▾	<input type="text" value="File"/> ▾	<input type="text" value="\$SYSTEM.SYS06.ZZQATEST"/>	<input type="text" value="*"/>	<input type="text" value="QA.KVSTADEN"/> ▾	<input type="button" value="Run"/>

[Show Advanced Options](#)

Access Result - YES

[Hide Details](#)

```

XYGATEOS 2.50 (c) 1999-2018 XYPRO Technology Corporation XYPRO Technology Corporation \QUALITY 20991231
OSCONF CHECKSUM 187461688 ($SYSTEM.XYGATEOS.OSCONF)
OSACL CHECKSUM 1232228632 ($SYSTEM.XYGATEOS.OSACL)
Explain mode on
Access check:CREATE FILE $SYSTEM.SYS06.ZZQATEST * QA.KVSTADEN
Objecttype = 00003 (FILE) for $SYSTEM.SYS06.ZZQATEST (does not exist)
Operation = 00304 (CREATE) Modifier = 00000 (VARSTRING)
Subject 232,205 QA.KVSTADEN Requestor $NONE $NONE.NONE.NONE
FOGGROUP USER-0-0-TEST Mask did not match
FOGGROUP SCOTT-TEST Mask did not match
FOGGROUP SCOWNER-TEST Mask did not match
FOGGROUP TESLA-SYSTEM-DISK-ACCESS Mask did not match
FOGGROUP XS1-TACLCSTM Mask did not match
FOGGROUP SQL-RENAME-TEST Mask did not match
FOGGROUP SQLXPR-AUDIT Mask did not match
FOGGROUP XS1-SEMAPHORE-FILE-TEST Mask did not match
FOGGROUP VPROC OPERATION not satisfied
FOGGROUP XYGATE-CONFIG-FILES Mask did not match
FOGGROUP SUPPORT-UTILITY-SUBVOL Mask did not match
FOGGROUP HARRIET-MA-TEST Mask did not match
FOGGROUP HINSCH-TEST Mask did not match
    
```

\$SYSTEM.ZTCPIP.*

NOT \$SYSTEM.SYSTEM.USERID

KEYWORDS

AUDIT_ACCESS_PASS ON

AUDIT_ACCESS_FAIL ON

Hosts

- ALL
- \GUARD** Test Rules
- \EST1983
- \GALAXY
- \XYS7000
- \X
- \QUALITY
- \DEV
- \STAGING
- \PROD
- \PROD2

Rules for \GUARD

Search Users ▾

31 ACLGROUP 35 OSSGROUP

#	Name
1	
2	
3	NCI-SYSTEM
4	NCI-VNCI-SUPER
5	NCI-VNCI-1
6	NCI-VNCI-3
7	NCI-DENY-THE-REST
8	SCOTT-TEST
9	BASE24-SYSTEM
10	BASE24-1
11	BASE24-DSMSCM-SQL
12	BASE24-DENY
13	XYGATESR-QRFILES
14	VIEWPT-TERMTACL-SECURITY
15	USERID-AND-LUSERID-SECURITY-READ
16	USER-LUSER-SECURITY
17	SECURE-SAFE-AUDITS
18	SYSTEM-SJU-FILES
19	TEST-CASE-46924C (disabled)
20	SQL-RENAME-TEST (disabled)
21	XYGATE-XAC-SUBVOL (disabled)
22	XYGATE-XCM-SUBVOL
23	XYGATE-XHE-SUBVOL-1
24	XYGATE-XHE-SUBVOL-2
25	XYGATE-XIL-SUBVOL
26	XYGATE-XIL-SUBVOL
27	XYGATE-XIM-SUBVOL
28	XYGATE-XMA-SUBVOL
29	XYGATE-XOS-SUBVOL
30	XYGATE-XPC-SUBVOL
31	XYGATE-XHE-SUBVOL
32	XYGATE-XHE-SUBVOL

Details of NCI-SYSTEM

Console

Test Rules on \GUARD

Select the criteria below to test the access to objects for a specific user over a series of files. Consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Test Criteria

Operation	Object Type	Object Name	Requestor	User	
Create ▾	File ▾	\$SYSTEM.SYS06.ZZQATEST 📁	*	QA.KVSTADEN ▾	Run

[Show Advanced Options](#)

\$NCI

\$WFB2

PERMISSIONS	Allow	Deny	None
OSS-ACL			☑
OSS-BIND		🚫	
OSS-CHMOD	☑		
OSS-CHDIR	☑		
OSS-CHOWN			☑
OSS-CHROOT			☑
OSS-MKNOD			☑
OSS-STAT			☑
OSS-SYMLINK			☑
OSS-UNLINK			☑

MASKS

- \$SYSTEM.*.*
- \$DATAA.SYSPRSPL.SPLDATA
- \$DATAA.SYSPRSPL.SPL1DATA
- \$SYSTEM.SYSNN.*
- \$SYSTEM.SYSTEM.*
- \$SYSTEM.ZTCPIP.*
- NOT \$SYSTEM.SYSTEM.USERID

KEYWORDS

AUDIT_ACCESS_PASS ON

AUDIT_ACCESS_FAIL ON

- Hosts
- ALL
 - \GUARD** Test Rules
 - \EST1983
 - \GALAXY
 - \XYS7000
 - \X
 - \QUALITY
 - \DEV
 - \STAGING
 - \PROD
 - \PROD2

Rules for \GUARD

Search Users

ACLGROUP

OSSGROUP

DOGROUP

POGROUP

FOGROUP

#	Name	
1	NCI-SYSTEM	
2	NCI-VNCI-SUPERUSER	
3	NCI-VNCI-1	
4	NCI-VNCI-3	
5	NCI-DENY-THE-REST	
6	SCOTT-TEST	
7	BASE24-SYSTEM	
8	BASE24-1	
9	BASE24-DSMSCM-SQL	
10	BASE24-DENY	
11	XYGATESR-QRFILES	
12	VIEWPT-TERMTACL-SECURITY	
13	USERID-AND-LUSERID-SECURITY-READ	
14	USER-LUSER-SECURITY	
15	SECURE-SAFE-AUDITS	
16	SYSTEM-SJU-FILES	
17	TEST-CASE-46924C (disabled)	
18	SQL-RENAME-TEST (disabled)	
19	XYGATE-XAC-SUBVOL (disabled)	
20	XYGATE-XCM-SUBVOL	
21	XYGATE-XHE-SUBVOL-1	
22	XYGATE-XHE-SUBVOL-2	
23	XYGATE-XIL-SUBVOL	
24	XYGATE-XIL-SUBVOL	
25	XYGATE-XIM-SUBVOL	
26	XYGATE-XMA-SUBVOL	
27	XYGATE-XOS-SUBVOL	
28	XYGATE-XPC-SUBVOL	
29	XYGATE-XHE-SUBVOL	
30	XYGATE-XHE-SUBVOL	
31	XYGATE-XIL-SUBVOL	
32	XYGATE-XIM-SUBVOL	

Details of NCI-SYSTEM Console

RULE NAME
NCI-SYSTEM

DESCRIPTION
Enter a brief description of the rule REQUIRED

COMMENT
This is a comment for the rule - use console for form specific comments.

GROUPS & USERS Add

\$NCI
\$WFB2

PERMISSIONS

	Allow	Deny	None
OSS-ACL			<input checked="" type="checkbox"/>
OSS-BIND		<input checked="" type="checkbox"/>	
OSS-CHMOD	<input checked="" type="checkbox"/>		
OSS-CHDIR	<input checked="" type="checkbox"/>		
OSS-CHOWN			<input checked="" type="checkbox"/>
OSS-CHROOT			<input checked="" type="checkbox"/>
OSS-MKNOD			<input checked="" type="checkbox"/>
OSS-STAT			<input checked="" type="checkbox"/>
OSS-SYMLINK			<input checked="" type="checkbox"/>
OSS-UNLINK			<input checked="" type="checkbox"/>

MASKS

```

$SYSTEM.*.*
$DATAA.SYSPRSPL.SPLDATA
$DATAA.SYSPRSPL.SPL1DATA
$SYSTEM.SYSNN.*
$SYSTEM.SYSTEM.*
$SYSTEM.ZTCPIP.*
NOT $SYSTEM.SYSTEM.USERID

```

KEYWORDS
AUDIT_ACCESS_PASS ON OFF
AUDIT_ACCESS_FAIL ON OFF